

Product Name :
Haematocrite Centrifuge 13000 r.p.m. (Microprocessor Based)

Product Code :
CENTRIFUGES0020



Description :

Haematocrite Centrifuge 13000 r.p.m. (Microprocessor Based)

Technical Specification :

- Haematocrite Centrifuge Machine, Max. speed 13000 r.p.m.
- Compact body which is made of plastic injection moulded.
- Inner safety bowl made of stainless steel.
- Filled with well balance universal motor having long life with
- Imported castors.
- Digital display shows Set time/ Run time R.P.M.
- Microprocessor based Digital timer of range 0-15 min with LCD display.

- Pneum speed controls flow microprocessor from 2000 to 15000 (p.m.)

Supply completed with following accessories:

- Micro Hemostatic roller to accommodate 24 capillaries of 75mm x 1mm or 12 capillaries

- Repaired capillary tubes 75mm long x 1mm bore (Pack of 100 Nos.)

- Non-Repaired capillary tubes 75mm long x 1mm bore (Pack of 100 Nos.)

- Flaming Device

- Sealing wire- 10m

- Hemostatic Centrifuge (Shallness) Model: T-128L

- All specification are same as above but in this model the motor is Brushless (without carbon)

- Note: Speed can also increased upto 16000 (p.m.) on the demand of customer

Dimension of Machine: L=200mm, W=270mm, H=240mm

Weight of Machine: 8.5kg approx.

Dimension of Box: L=200mm x W355 x H=340mm

Weight of Box: 11kg approx.

@ LAB ENGINEERING
Elab Engineering Equipments Manufacturers